

580

Yellow Peel

Melasma · PIH · Solar Lentigines · Photoaging
Fitzpatrick III–V — with priming

RGL-K⁴ Retinol / Glycolic / Lactic / Kojic

getprodermic.com/protocols/580-yellow-peel CLICK TO OPEN THE PRODUCT PAGE



30ML · ~27 APPLICATIONS

ENDPOINT — TREAT TO ENDPOINT, NOT TO THE CLOCK

Uniform pink erythema → light frost. Then neutralize.

30 MIN
MAX CONTACT

TIME	PROCEDURE	STOP — NEUTRALIZE
2 MIN	Prep Cleanse + degrease (PREP.01), air-dry. First session: patch test post-auricular, observe 10 min.	Abort on any of these, at any minute. NEUT.01 first, cold water second.
1 MIN	Apply Thin, even layer by fan brush. Avoid eyes, lips, nostrils. No layering.	Escalating burning or pain
10–30 MIN	Titrate Observe continuously to endpoint. Start low on first sessions; extend only with proven tolerance. Never exceed 30 minutes.	Deep-red erythema beyond the expected uniform pink
2 MIN	Neutralize NEUT.01 — every session, every zone. Cold water as secondary. Never let it self-neutralize.	Edema in the treated field
—	Finish Balm (REST.01) + SPF 50+ before the patient leaves. Hand over the aftercare card.	Urticaria or wheals
		Patient cannot tolerate it
		PROGRAM 4–6 sessions per course 35 days between sessions Allow 25–45 days between any peels, by strength and potency. Prime higher phototypes: 2 weeks topical retinoid.

DO NOT TREAT IF Re-verify every visit, not only the first.

- ✗ Active dermatitis, eczema or infection

✗ Topical retinoid within 72 hours

✗ Allergy to any listed active

✗ Sunburned / recent sun exposure
- ✗ Pregnancy or breastfeeding

✗ Broken skin / compromised barrier

✗ Laser / IPL within 2 weeks
- ✗ Oral isotretinoin within 6 months

✗ Keloid or hypertrophic scar history

✗ Active herpes simplex

PATIENT AFTERCARE

DAY 0	DAY 1–2	DAY 3–5	DAY 5–7	ONGOING
Keep clean. Balm only.	Moisturize 3–4x daily.	Peeling. Never pick.	Recovery. Makeup once shed.	Daily SPF 50+ . Actives: day 7.