

652

Intimate Brightening

Intimate Area Hyperpigmentation · Ultra-Sensitive Zones · TCA-Intolerant Patients ·
First-Time Intimate Peel
Fitzpatrick I-VI

652

K12-NT Kojic / Lactic / Alpha Arbutin / Niacinamide / Hyaluronic +7 more

[getprodermic.com/protocols/652-intimate-brightening-notca](#)

CLICK TO OPEN THE PRODUCT PAGE

30ML · ~6-8 APPLICATIONS

ENDPOINT — TREAT TO ENDPOINT, NOT TO THE CLOCK

Uniform pink erythema. Then neutralize.

30 MIN
MAX CONTACT

CAUTION External application only — never on mucosal surfaces. Mandatory patch test, written consent, and chaperone protocol.

TIME	PROCEDURE
2 MIN	Prep Cleanse + degrease (PREP.01), air-dry. First session: patch test post-auricular, observe 10 min.
1 MIN	Apply Thin layer on the external treatment zone only, with an applicator. Never on mucosal surfaces.
~30 MIN	Titrate Observe continuously. Remove at ~30 minutes or at uniform erythema — whichever comes first.
2 MIN	Neutralize NEUT.01 — every session, every zone. Cold water as secondary.
—	Finish Balm (REST.01) + SPF 50+ before the patient leaves. Hand over the aftercare card.

STOP — NEUTRALIZE

Abort on **any** of these, at any minute. **NEUT.01** first, cold water second.

Escalating burning or pain

Deep-red erythema
beyond the expected uniform pink

Edema in the treated field

Urticaria or wheals

Patient cannot tolerate it

PROGRAM

6-8 sessions per course

25-30 days between sessions

Allow 25-45 days between any peels, by strength and potency. Prime higher phototypes: 2 weeks topical retinoid.

DO NOT TREAT IF Re-verify every visit, not only the first.

- ✗ Active dermatitis, eczema or infection

✗ Topical retinoid within 72 hours

✗ Allergy to any listed active

✗ Sunburned / recent sun exposure
- ✗ Pregnancy or breastfeeding

✗ Broken skin / compromised barrier

✗ Laser / IPL within 2 weeks
- ✗ Oral isotretinoin within 6 months

✗ Keloid or hypertrophic scar history

✗ Active herpes simplex

PATIENT AFTERCARE

DAY 0	DAY 1-2	DAY 3-5	DAY 5-7	ONGOING
Keep clean. Balm only.	Moisturize 3-4x daily.	Peeling. Never pick.	Recovery complete. No friction.	Daily SPF 50+ . Actives: day 7.

For professional use by trained practitioners only. Supports — does not replace — clinical judgment.
Obtain informed consent and baseline photographs. Expected downtime: None — painless, zero downtime.